



ACOUSTIC PANELS CARE & MAINTENANCE GUIDE

THE ABADI GROUP


TAG Acoustic Panels are designed to combine acoustic comfort, aesthetic appeal, and durable interior finishes. This guide provides basic care and maintenance recommendations to help preserve their appearance, performance, and quality over time.



1. GENERAL CARE

TAG Acoustic Panels are intended for interior use only. Depending on the selected product, panels may include natural wood veneer, technical wood veneer, MDF, PET acoustic backing, melamine, HPL, fabric, leather-look finishes, painted surfaces, slatted designs, perforations, grooves, or other decorative finishes.

Natural variations in color, grain, texture, tone, fabric appearance, perforation alignment, or finish sheen are normal characteristics and are not considered defects.



2. ROUTINE CLEANING

Remove dust regularly using a soft dry cloth, feather duster, microfiber cloth, or low-suction vacuum with a soft brush attachment. Clean gently and always follow the direction of the surface texture, grain, slats, or perforations.

Do not use excessive pressure, abrasive tools, scraping methods, or aggressive cleaning techniques.



3. SPOT CLEANING

For minor stains, use a soft cloth slightly dampened with clean water and dry immediately with a clean, soft cloth. For fabric or upholstery-style finishes, blot stains gently. Do not rub, scrub, soak, or steam clean.

Always test any cleaning method in a hidden area first. Damage caused by unapproved cleaning products or methods is not covered.



4. PRODUCTS TO AVOID

Do not use abrasive cleaners, scouring pads, steel wool, bleach, ammonia, acetone, alcohol-based cleaners, solvents, waxes, oils, polishes, or strong chemicals.

Do not spray cleaners directly onto the panel. Apply cleaning products to the cloth first.



5. MOISTURE AND HEAT PROTECTION

Panels must not be exposed to standing water, leaks, direct splashes, excessive humidity, condensation, exterior conditions, or uncontrolled environments.

Moisture, heat, direct sunlight, HVAC discharge, fireplaces, radiators, or intense lighting may cause swelling, warping, staining, fading, discoloration, deformation, adhesive failure, or finish damage.

Damage caused by moisture, heat, UV exposure, or environmental conditions is not considered a manufacturing defect.




6. IMPACT AND SCRATCH PREVENTION

Protect panels from sharp objects, heavy impacts, furniture contact, construction activity, repeated abrasion, tools, and improper handling.

Do not drag objects across the surface. Do not hang heavy items, signage, shelving, artwork, or accessories directly from panels unless the structure has been properly reinforced and approved for that use.

Dents, scratches, chips, punctures, broken slats, torn fabric, loose components, or surface damage caused by impact, misuse, or site activity are not considered product defects.



7. MAINTENANCE BY MATERIAL / PANEL TYPE

WOOD VENEER / TECHNICAL WOOD VENEER

Clean with a soft dry cloth or slightly damp cloth and dry immediately. Natural grain, color, and tone variation are expected.

MDF / PET ACOUSTIC BACKING

Keep away from moisture, leaks, condensation, and uncontrolled humidity. Moisture-related swelling or deformation is not covered.

MELAMINE / HPL SURFACES

Clean gently with a soft damp cloth and dry immediately. Avoid abrasive pads and harsh chemicals.

FABRIC / UPHOLSTERY FINISHES

Vacuum gently with a soft upholstery attachment. Blot stains immediately. Do not scrub, soak, or steam clean.

LEATHER-LOOK FINISHES


Wipe gently with a soft dry or slightly damp cloth. Avoid alcohol, solvents, oils, waxes, sharp objects, and abrasive cleaners.

SLATTED / GROOVED / PERFORATED PANELS

Clean grooves, slats, and perforations with a soft brush or low-suction vacuum. Do not pull, bend, press, scrape, or insert objects into openings.

PAINTED / METAL-LOOK SURFACES

Clean only with a soft cloth. Avoid abrasive tools, solvents, or chemicals that may scratch or discolor the finish.



INSPECTION, HANDLING & STORAGE

All panels should be inspected upon delivery and before installation. Any visible damage, missing items, or product concerns must be reported before the panels are installed.

Panels must be stored flat in a clean, dry, temperature-controlled interior area, away from moisture, direct sunlight, dust, construction debris, and heavy objects.

Damage caused after delivery due to improper storage, handling, jobsite conditions, installation, transportation by others, or work performed by third parties is not considered a product defect.



9. IMPORTANT LIMITATIONS

Proper care, maintenance, storage, and installation are required to preserve the appearance and acoustic performance of TAG Acoustic Panels.

TAG is not responsible for damage caused by improper cleaning, misuse, moisture, heat, impact, chemical exposure, unauthorized modifications, unsuitable site conditions, incorrect installation, lack of maintenance, or normal wear and tear.

Always follow project-specific installation instructions, approved finish specifications, environmental requirements, and TAG recommendations. Warranty coverage, if applicable, is limited to verified manufacturing defects only.



INNOVATIVE | INTERIOR | CONSTRUCTION

At TAG, we collaborate with developers, architects, and designers to create spaces that stand the test of time. Our approach focuses on selecting high-quality materials that combine design, functionality, and aesthetics for residential, commercial, and hospitality projects. Every detail matters, and our expertise allows us to provide solutions that elevate the architectural experience in every environment.



Industrial Way East, Building A5. Eatontown,
NJ 07724



sales@theabadigroup.com