

A close-up photograph of a hand holding a white, textured cloth and wiping a dark wood veneer surface. The wood grain is clearly visible, and the lighting is warm, creating a soft glow. The hand is positioned on the right side of the frame, moving from top to bottom.

WOOD VENEER CARE & MAINTENANCE GUIDE

THE ABADI GROUP


TAG Wood Veneer Collection is designed to bring warmth, texture, and refined natural character to interior spaces. This guide provides basic care and maintenance recommendations to help preserve the appearance, quality, and long-term performance of TAG wood veneer finishes.



1. GENERAL CARE

TAG Wood Veneer is intended for interior decorative and architectural applications only, including custom cabinetry, kitchens, vanities, closets, built-ins, wall cladding, shelving systems, feature walls, doors, and architectural millwork. Wood veneer surfaces must be handled, installed, cleaned, and maintained properly. Damage caused by misuse, improper cleaning, impact, excessive moisture, chemicals, heat exposure, direct sunlight, or incorrect installation is not considered a product defect.

Natural color, tone, texture, and grain variation are inherent characteristics of wood veneer and are part of the material's natural beauty.



2. ROUTINE CLEANING

Remove dust regularly using a soft dry cloth, microfiber cloth, feather duster, or vacuum with a soft brush attachment.

Clean gently following the direction of the wood grain whenever possible. Do not use excessive pressure, abrasive tools, scraping methods, or rough cleaning pads, as they may damage the veneer surface or finish.

For regular maintenance, dry cleaning is recommended. If needed, use a soft cloth slightly dampened with clean water and dry the surface immediately with a clean dry cloth.



3. SPOT CLEANING

For light marks or stains, use a soft cloth slightly dampened with clean water. Wipe gently and dry immediately.

Do not rub aggressively, scrub, soak, steam clean, or allow moisture to remain on the surface. Always test any cleaning method in a hidden area first before applying it to visible surfaces.

Damage caused by unapproved cleaning products, excessive moisture, or improper cleaning methods is not considered a product defect.



4. PRODUCTS TO AVOID

Do not use abrasive cleaners, scouring pads, steel wool, bleach, ammonia, acetone, alcohol-based cleaners, solvents, waxes, oils, polishes, or strong chemicals.

Do not spray cleaning products directly onto the veneer surface. Apply any approved cleaning solution to the cloth first, never directly to the material.

Avoid furniture polish, oil-based treatments, or coating products unless specifically approved by TAG for the selected finish.



5. MOISTURE AND HEAT PROTECTION

TAG Wood Veneer is for interior use only and should not be exposed to standing water, leaks, direct splashes, exterior conditions, condensation, or uncontrolled humidity.

Wipe moisture immediately. Water, humidity, condensation, heat, or UV exposure may cause swelling, warping, staining, fading, discoloration, delamination, or adhesive failure and is not considered a manufacturing defect.

Keep veneer surfaces away from direct sunlight, heaters, fireplaces, radiators, HVAC discharge, intense lighting, and other sources of excessive heat.




6. IMPACT AND SCRATCH PREVENTION

Protect wood veneer surfaces from sharp objects, heavy impacts, furniture contact, construction activity, repeated abrasion, and improper handling.

Use care when moving objects near veneer surfaces. Avoid dragging accessories, hardware, tools, decorative objects, or construction materials across the finish.

Dents, scratches, chips, edge damage, punctures, loose components, or finish damage caused by impact, abrasion, misuse, or jobsite conditions are not considered product defects.



7. MAINTENANCE BY MATERIAL / PANEL TYPE

Cabinetry, Kitchens, Vanities, and Closets:

Clean with a soft dry or slightly damp cloth and dry immediately. Avoid excessive moisture around sinks, countertops, plumbing areas, and appliance openings.

Wall Cladding and Feature Walls:

Dust regularly with a soft cloth or soft brush attachment. Avoid leaning objects directly against the veneer surface, especially sharp or heavy items.

Doors, Built-Ins, and Architectural Millwork:


Clean gently following the direction of the grain. Inspect edges and corners periodically, as these areas are more exposed to impact and wear.

Dark Wood Veneer Finishes:

Dust and fingerprints may be more visible on darker tones. Clean gently with a microfiber cloth and avoid oily or wax-based products that may create uneven sheen.

Light Wood Veneer Finishes:

Protect from stains, dyes, direct sunlight, and prolonged moisture exposure, as lighter tones may show discoloration more easily.



8. INSPECTION AND STORAGE

Inspect wood veneer surfaces periodically for loose edges, stains, scratches, warping, moisture exposure, fading, or damaged components.

Before installation, store materials flat in a clean, dry, temperature-controlled interior area, away from moisture, sunlight, dust, construction debris, and heavy objects.

Damage caused by improper storage, jobsite conditions, transportation after delivery, or installation by others is not considered a product defect.



9. NATURAL MATERIAL CHARACTERISTICS

Wood veneer is a natural material, and variations in color, tone, grain direction, texture, knots, mineral marks, and sheen may occur. These variations are normal and are not considered defects.

The TAG Wood Veneer Collection includes a curated range of finishes, from light and neutral oak tones to rich brown and blackened wood expressions, designed for premium residential, commercial, and hospitality interiors.

Available collection references include WV-01 through WV-12, with finishes such as Natural Blonde Oak, Rustic Light Oak, Pale White Oak, Mid Brown Heritage Oak, Deep Walnut Brown, and Black Oak.



10. FINAL RECOMMENDATIONS

Proper care, handling, storage, installation, and maintenance are required to preserve the aesthetic quality and long-term performance of TAG Wood Veneer products.

TAG is not responsible for damage caused by improper cleaning, moisture, impact, misuse, chemical exposure, unauthorized modifications, unsuitable site conditions, incorrect installation, lack of maintenance, or normal wear and tear.

Always follow project-specific installation instructions, approved finish specifications, environmental requirements, and TAG maintenance recommendations.



INNOVATIVE | INTERIOR | CONSTRUCTION

At TAG, we collaborate with developers, architects, and designers to create spaces that stand the test of time. Our approach focuses on selecting high-quality materials that combine design, functionality, and aesthetics for residential, commercial, and hospitality projects. Every detail matters, and our expertise allows us to provide solutions that elevate the architectural experience in every environment.



Industrial Way East, Building A5. Eatontown,
NJ 07724



sales@theabadigroup.com